



Canon
imageRUNNER®
ADVANCE
C2000 series

Power to perform.
People to succeed.



Practical
multifunctional
colour printer for the
office

- Communicate more conveniently
- Support sustainability without sacrifice
- Enjoy effective colour document production
- Ensure control of your documents
- Smoothly integrate colour into your workflow

Power to perform. People to succeed.

Kevin,
Océ software
consultant



Sean,
Océ service
engineer



Barbara,
Océ customer
helpdesk



Michael,
Océ account
manager



Canon imageRUNNER ADVANCE C2000 series

Practical multifunctional colour printer for the office



"This device requires very little maintenance, so you will not see me visiting your office very often"

Sean - Océ service engineer

A Canon colour system gives you the power to perform. Bringing big, bold, high-impact colour right into your office. Stir in the Océ expert knowledge force and you also gain the people to succeed. Specialists who understand your needs and add personality to your printers. So that your colour printing systems integrate seamlessly into your total knowledge-management infrastructure. And provide support for greater business success.

Océ and Canon

In 2010, Océ joined the Canon family to create the global leader in the printing industry. This compelling combination combines a 130-year heritage of Océ customer-driven innovation with the vast technical and financial resources of Canon. The result? Unmatched scale in research and development, manufacturing and distribution, together with accelerated development of new innovations and the industry's broadest choice of hardware, software and workflow solutions.

Choose a practical multifunctional colour printer for the office

Step up to smarter colour with the compact, convenient and sustainable Canon imageRUNNER ADVANCE C2000 series. Bringing full-colour networked printing, copying, scanning and (optional) faxing to your office in one elegant system. Available at speeds of 20 or 30 ppm in colour or black & white.

Communicate more conveniently


Satisfy your employees with the convenience built into the Canon imageRUNNER ADVANCE C2000 series. In-line stapling and sorting, customizable favorite buttons, company-defined templates, and universal send, contribute to an easier document flow. The system has the same colour interface as the other Canon imageRUNNER ADVANCE systems, so there are no new methods to learn: more time to focus on business results.

Support sustainability without sacrifice

The Canon imageRUNNER ADVANCE C2000 series doesn't make you choose between high-impact colour documents and sustainability. The system has the lowest TEC rating in its class (1.47 / 1.0 kWh/w). It's also EPA ENERGY STAR® certified and will receive Blue Angel certification, and exceeds EU RoHS standards. By incorporating recycled and bio-plastics, the devices show commitment to a healthier world.

Enjoy effective colour document production

As part of a fleet or as a stand-alone device for your small business, workgroup or branch office, the Canon imageRUNNER ADVANCE C2000 series gives you an impressive return on investment, while delivering up to 1200 x 1200 dpi quality.



Canon imageRUNNER ADVANCE C2000 series

Practical multifunctional colour printer for the office

The devices score high points on effectiveness:

- Standard Canon controller for consistent high performance and quality
- Genuine Adobe PostScript support (option for i-models) for hassle free flow of documents
- Up to four paper trays with a maximum of 2000 sheets for longer document runs
- Automatic duplexing for cost- and time-savings
- Scan-to and print-from USB for portable document production

Ensure control of your documents

Your IT administrator can choose from a host of security options, covering network, data* and device security, all with an eye toward safeguarding your precious information. The devices also support the optional software, which allows you to keep track of print costs, and manage security, routing and maintenance centrally. With Department ID on board, you can make sure that access to colour printing and copying are controlled by you.

* hard disk encryption and erase are available on i-model only

Smoothly integrate colour into your workflow

The budget-friendly Canon imageRUNNER ADVANCE C2000 series has the options you want, with none of the frills you don't. So it integrates colour and black & white document production into your current ways of working without wasting resources. The system cleverly fits with other systems in your fleet, through a client-server relationship to other Canon imageRUNNER ADVANCE systems. The devices can tap into various functions that are available on the larger ADVANCE systems*. This means end users can access even more powerful document production and distribution methods via your network.

* imageRUNNER ADVANCE C5000 / C7000 / 6000

Finished output



Sorting



Labels



Transparencies



Stapling

Electronic output



Fax



USB-stick



Network



Email

Electronic input



USB-stick



Fax



PC / Mac



Digital document



Options to support your office document workflow

The Canon imageRUNNER ADVANCE C2000 series is designed to fully meet your needs. You can choose between a 20 or 30 ppm model.

The imageRUNNER C2000 series consists of an L-model and an i-model. The L-model gives you a price conscious entry-level device with a flash-based memory and a basic set of options. The i-model comes in a more extensive basic configuration that includes an 80-GB hard disk and standard Universal Send. The i-model offers an upgrade for Adobe PostScript printing and features a 3-Way Unit to enable finishing.



Main hardware options:

- Document feeder or cover & glass platen
- Paper input with 2 trays or pedestal
- Envelope feeding kit
- Copy tray
- Inner 2-Way Tray
- Inner finisher
- Extra output tray for Inner finisher
- Removable hard disk (only for i-model)
- Fax kit
- Memory card and stick reader
- Canon card reader

- 1 Document feeder**
The 50-sheet capacity document feeder supports scanning up to 44 originals per minute in colour and black & white.
- 2 Workflow integration**
Intelligent support of file sharing and document reproduction, respecting the existing document workflow, taking into consideration current and future security requirements.

- 3 Operator panel**
The intuitive 5.7 inch full colour touchscreen is easy to use and provides control over your documents.
- 4 Controller**
i-model: Canon 0.8 GHz controller with 2 GB RAM and 80 GB hard disk.
L-model: Canon 0.8 GHz controller with 2 GB RAM and 4 GB flash memory.

- 5 Paper input**
The standard paper trays and Bypass tray provide 900-sheet capacity. The maximum input capacity is 2000 sheets.
- 6 Compact finishing**
Choice of finishing: compact Inner Finisher with multi-position stapling and sorting; Inner 2-Way Tray for sorting and separating print & copy output .

Canon imageRUNNER ADVANCE C2000 series

Practical multifunctional colour printer for the office

General		Controller	
Description	Full-colour laser printer/copier/scanner and fax (optional)	Processor	Canon Custom processor, 0.8 GHz
Imaging technology	Electrophotographic laser; pQ toner	Memory	i-model: 2 GB RAM, 80 GB hard disk. L-model: 2 GB RAM, 4 GB flash memory.
Speed (A4)	iR-ADV C2020L / C2020i: 20 ppm iR-ADV C2030L / C2030i: 30 ppm	Interface	Ethernet (1000Base-T / 100Base-TX / 10Base-T), USB2.0
Speed (A3)	iR-ADV C2020L / C2020i: 15 ppm iR-ADV C2030L / C2030i: 15 ppm	Protocols	Option: Wireless LAN IEEE 8.211b/g TCP/IP (LPD / Port9100 / WSD / IPP / IPPS / SMB* / FTP), IPv4, IPv6, IPX / SPX (NDS, Bindery), AppleTalk * SMB: for i-model only
Warm-up time	38 seconds or less	Operating system	UFR II: Windows 2000®, Windows XP®, Windows Server 2003/2008/2008 R2®, Windows Vista®, Windows 7®, Mac OS X® 10.4.9 or later PCL: Windows 2000®, Windows XP®, Windows Server 2003/2008/2008 R2®, Windows Vista®, Windows 7® Adobe® Postscript® 3: Windows 2000®, Windows XP®, Windows Server 2003/2008/2008 R2®, Windows Vista®, Windows 7®, Mac OS X® 10.4.9 or later Mac-PPD: Mac OS 9.1 or later; Mac OS X® 10.2.8 or later
First copy time	Black & white: 5.9 seconds Colour: 8.9 seconds	Page Description Language	UFR II (standard) PCL 5c/6 (option) Adobe PostScript 3 (option for i-models)
Original size	A3, A4, A4-R, A5, A5-R (with ADF)	Security	Department ID, PDF encryption, Secure watermark, IPsec, Secure printing, Hard disk security options (for i-models)
Duplex mode	1:2, 2:1, 2:2	Scanning	
Dimensions standard unit (WxDxH)	i-models: 565 x 680 x 928 mm (with ADF) L-models: 565 x 650 x 791 mm	Scan speed (B/W and colour)	A4, 1-sided: 44 ppm at 300 dpi, 30 ppm at 600 dpi A4, 2-sided: 19 ppm at 300 dpi, 13 ppm at 600 dpi
Weight standard unit	i-models: 88 kg, L-models: 77 kg	Resolution	100 dpi, 150 dpi, 200 x 100 dpi, 200 dpi, 200 x 400 dpi, 300 dpi, 400 dpi, 600 dpi
Power requirement	220 - 240 V; 50 / 60 Hz; 10 A	Destination	Scan-to-Email, Scan-to-iFax, Scan-to-iWDM, Scan-to-PC (SMB, FTP), Scan-to-WebDAV
Power consumption	1.5 kW	File format	TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimise PDF for the Web, Outline PDF (Trace & Smooth), Searchable PDF/XPS, Reader Extensions PDF, Encrypted PDF, Device Signature PDF/XPS
TEC	iR-ADV C2020L / C2020i: 1.0 kWh/w iR-ADV C2030L / C2030i: 1.47 kWh/w	Faxing	
Certificates	Blue Angel, EPA ENERGY STAR®, RoHS, Common Criteria EAL3 (i-models only)	Modem	Super G3 33.6 Kbps
Paper handling		Transmission method	Analogue faxing, i-Fax, IP-fax, Remote fax
Maximum paper capacity	2000 sheets	Resolution	100 dpi, 150 dpi, 200 x 100 dpi, 200 dpi, 200 x 400 dpi, 300 dpi, 400 dpi, 600 dpi
Paper trays	1 x 250 and 1 x 550 sheets Option: 2 x 550 sheets	Number of destinations	256 (single and groups)
Bypass tray	100 sheets; SRA3 - A5-R, Custom paper size: 99 x 140 mm - 320 x 457 mm; 64 - 220 gsm (1-sided), 64 - 120 gsm (2-sided)	Workflow	
Document feeder	50 sheets; A3 - A5-R; 42 - 128 gsm (1-sided), 50 - 128 gsm (2-sided)	MEAP	Yes
Paper size	Tray 1: A3, A4, A4-R, A5-R, Custom paper size: 148 x 182 mm - 297 x 420 mm Tray 2,3,4: A3, A4, A4-R, A5-R, Custom paper size: 140 x 182 mm - 305 x 457 mm, Envelopes (tray 2)	Options	
Paper weight	Tray 1: 64 - 120 gsm Tray 2,3,4: 64 - 163 gsm	Description	For a full list of device options, software options and colour controllers, please ask your Océ representative or go to www.oce.com .
Output capacity	Standard: 250 sheets Inner 2-Way Tray-F1: 100 + 250 sheets Inner Finisher-C1: 750 sheets Inner Finisher-C1 with additional tray: 100 + 350 sheets		
Finishing	Options: Offset stacking, Sorting, Grouping, Corner stapling, Two-point stapling		
Copying			
Copy resolution	600 x 600 dpi		
Zoom	25 - 400% (1% increments)		
Printing			
Job management	Direct printing, Remote Advanced Space		
Print resolution	600 x 600 dpi, 1200 x 1200 dpi (half speed)		
Colour gradation	256		
File format	JPEG, TIFF, XPS, PDF, PDF/A-1b, Compact PDF/XPS		

Beyond the Ordinary



**Printing for
Professionals**

Professionals everywhere look to Océ for digital printing and document management. In the office, Océ systems keep the information of business and government moving. In manufacturing, architecture, engineering and construction, Océ wide format printers set the standard while our display graphics systems help people produce banners, billboards and other large, colourful applications. In corporate printrooms, marketing service bureaus and the graphic arts industry, Océ systems print transaction documents, mailings, newspapers, manuals and books on demand at the highest speeds. And Océ Business Services manage the complete document workflow of customers around the world. It all helps you go "Beyond the Ordinary" in printing and document management.

© 2010 Océ. Illustrations and specifications do not necessarily apply to products and services offered in each local market. Technical specifications are subject to change without prior notice. Océ is a registered trademark of Océ Technologies B.V. Canon and imageRUNNER are registered trademarks of Canon Corporation. All other trademarks are the property of their respective owners.

For information and services, visit us at:

www.oce.com